

		S-System Konfiguration														
Art-Nr	Produkt	Preis*		KONFIGURATION V1	KONFIGURATION V2	KONFIGURATION V3	KONFIGURATION V4	KONFIGURATION V5	KONFIGURATION V6	KONFIGURATION V7	KONFIGURATION V8	KONFIGURATION V9	KONFIGURATION V10	KONFIGURATION V11	KONFIGURATION V12	KONFIGURATION V13
Profile																
AK5600	Profil S511, OHNE Abd., Alu, L: 2m	75.00	A	•	•	•	•	•	•	•	•	•	•	•	•	•
AK5600.B	Profil S511, OHNE Abd., schwarz, L: 2m	82.00	A	•	•	•	•	•	•	•	•	•	•	•	•	•
AK5600.W	Profil S511, OHNE Abd., weiss, L: 2m	82.00	A	•	•	•	•	•	•	•	•	•	•	•	•	•
AK5630	Profil S511, OHNE Abd., Alu, L: 3m	111.00	A	•	•	•	•	•	•	•	•	•	•	•	•	•
AK5630.B	Profil S511, OHNE Abd., schwarz, L: 3m	121.00	A	•	•	•	•	•	•	•	•	•	•	•	•	•
AK5630.W	Profil S511, OHNE Abd., weiss, L: 3m	121.00	A	•	•	•	•	•	•	•	•	•	•	•	•	•
AK5700	Profil S512, OHNE Abd., Alu, L: 2m	42.00	A		•	•	•	•	•	•	•	•		•		
AK5700.B	Profil S512, OHNE Abd., schwarz, L: 2m	51.00	A		•	•	•	•	•	•	•	•		•		
AK5700.W	Profil S512, OHNE Abd., weiss, L: 2m	51.00	A		•	•	•	•	•	•	•	•		•		
AK5730	Profil S512, OHNE Abd., Alu, L: 3m	59.00	A		•	•	•	•	•	•	•	•		•		
AK5730.B	Profil S512, OHNE Abd., schwarz, L: 3m	72.00	A		•	•	•	•	•	•	•	•		•		
AK5730.W	Profil S512, OHNE Abd., weiss, L: 3m	72.00	A		•	•	•	•	•	•	•	•		•		
Abdeckungen																
AK5500	Abdeckung für F511, S511 & S512, milchig, L: 2m	34.00	A	•	•	•	•		•	•	•	•			•	
AK5530	Abdeckung für F511, S511 & S512, milchig, L: 3m	51.00	A	•	•	•	•		•	•	•	•			•	
Endkappen																
AK5650	Endkappe A, für Profil S511, Alu	5.70	A	•	•	•		•					•	•		•
AK5650.B	Endkappe A, für Profil S511, schwarz	5.70	A	•	•	•		•					•	•		•
AK5650.W	Endkappe A, für Profil S511, weiss	5.70	A	•	•	•		•					•	•		•
AK5750	Endkappe C, für Paar S511-S512, Alu	5.70	A				•									
AK5750.B	Endkappe C, für Paar S511-S512, schwarz	5.70	A				•									
AK5750.W	Endkappe C, für Paar S511-S512, weiss	5.70	A				•									
AK5755	Endkappe D, für Paar S511-S512, Alu	5.70	A								•					
AK5755.B	Endkappe D, für Paar S511-S512, schwarz	5.70	A								•					
AK5755.W	Endkappe D, für Paar S511-S512, weiss	5.70	A								•					
AK5760	Endkappe B, für Profil S511, Alu	5.70	A						•	•		•			•	
AK5760.B	Endkappe B, für Profil S511, schwarz	5.70	A						•	•		•			•	
AK5760.W	Endkappe B, für Profil S511, weiss	5.70	A						•	•		•			•	
Zubehör																
AC2400	Steckverbinder AC162 STS/ 2 LED	0.90	A		•	•	•	•		•	•	•				
AC9500	Aufhängeset NL-1	33.00	A	•	•	•	•	•	•	•	•	•	•	•	•	•
AK4660	Set mit 2x Einlegeteilen Typ M3, gerade	18.00	A	•	•	•	•	•		•	•	•	•	•	•	•
AK4665	Set mit 2x Einlegeteilen Typ M3, Winkel 90°	21.00	A	•	•	•	•	•		•	•	•	•	•	•	•
AK5370	Interne Kabelklemme Platte, für Profil S511	27.00	A	•		•	•	•			•	•				
AK5377	Befestigungsplatten für Stromversorgung, für S511, /Paar	14.00	A			•	•	•			•	•				
AK5378	2x Schrauben für Treiber, für S511	1.60	A				•	•			•	•				
AK5890	Befestigungsclip für S511	12.00	A	•	•	•	•	•	•	•	•	•	•	•	•	•

* Brutto Preise exkl. Mwst 7,7% in CHF
Gültig ab 01.10.22 und Änderungen vorbehalten.

S-System Konfiguration

Art-Nr	Produkt	Preis*		KONFIGURATION V1	KONFIGURATION V2	KONFIGURATION V3	KONFIGURATION V4	KONFIGURATION V5	KONFIGURATION V6	KONFIGURATION V7	KONFIGURATION V8	KONFIGURATION V9	KONFIGURATION V10	KONFIGURATION V11	KONFIGURATION V12	KONFIGURATION V13
DIMMBARE KONVERTER																
PSDDL24150	Konverter XOLED Linear Powerdim 24150, DALI & TouchDim, 24V 150W	180.00	A				•	•			•	•				
PSDDL24240	Konverter XOLED Linear Powerdim 24240, DALI & TouchDim, 24V 240W	222.00	A				•	•			•	•				
Konverter																
PSDL2430	Konverter, 24V 30W	52.00	A			•	•	•			•	•				
PSDL2460	Konverter, 24V 60W	77.00	A			•	•	•			•	•				
PSDL2460W	Konverter IP66, 24V 60W	96.00	A				•	•			•	•				
PSDL24100	Konverter, 24V 100W	111.00	A				•	•			•	•				
PSDL24150	Konverter, 24V 150W	165.00	A				•	•			•	•				
PSDL24200	Konverter, 24V 200W	182.00	A				•	•			•	•				
Treiber																
89453829	Dali 1 Kanal Treiber, DALI, 12-48V DC 16A	127.00	A				•	•			•	•				
89453830	Dali 2 Kanal Treiber, DALI, 12-48V DC 16A	147.00	A				•	•			•	•				
89453831	Dali 3 Kanal Treiber, DALI, 12-48V DC 16A	158.00	A				•	•			•	•				
89453832	Dali 4 Kanal Treiber, DALI, 12-48V DC 16A	173.00	A				•	•			•	•				

Profile



AK5600
AK5630



AK5600.B
AK5630.B



AK5600.W
AK5630.W



AK5700
AK5730



AK5700.B
AK5730.B



AK5700.W
AK5730.W

Endkappen



AK5650



AK5650.B



AK5650.W



AK5750



AK5750.B



AK5750.W



AK5755



AK5755.B



AK5755.W



AK5760



AK5760.B



AK5760.W

Zubehör



AK4660



AK4665



AK5370



AK5377



AK5378



AK5890



AC9500



AC2400

Dimmbare Konverter



PSDDL24150



PSDDL24240

Abdeckungen



AK5500
AK5530

Konverter



PSDL24100



PSDL24150



PSDL24200



PSDL2430



PSDL2460



PSDL2460W

Treiber



89453829



89453830



89453831



89453832